

### COUNTY BOROUGH OF BURY

# REPORT

ON THE

# Medical Inspection of School Children

For the Year ended 31st December, 1944.

K. K. WOOD, M.B., M.R.C.S., D.P.H.,
School Medical Officer.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

#### PUBLIC HEALTH DEPARTMENT,

TITHEBARN STREET, BURY.

April, 1945.

To the Chairman and Members of the Education Committee, County Borough of Bury.

Mr. Chairman, Ladies and Gentlemen,

I have pleasure in presenting the Annual Report on the work of the School Medical Department for 1944. The method of medical inspection carried out was the same as that adopted in the previous year.

There has been a slight increase in the number of Minor Ailments treated, especially amongst evacuees. The chief increase to be noted is in skin conditions. The numbers of cases of Scabies, Impetigo, and other skin conditions have increased. The number of Scabies cases treated was 333 (59 E), against 263 (35 E) last year.

The general nutrition of the children remains good. The fact that 98 per cent. of the children are reported as having normal nutrition is very satisfactory. No cases of bad nutrition have been reported.

There has been no large outbreak of infectious disease. Diphtheria Immunisation has continued. At the end of the year 71.9 per cent. of children between the ages of 5 and 15 had been immunised. There were no deaths from diphtheria amongst children who had been immunised.

There has been an increase, 26 cases against 16 last year, in the number of children receiving institutional treatment for Tuberculosis.

A sanitary survey of the schools has been made for report to the Committee.

The amount of work carried out can be seen from the figures in the body of the report. The School Dental work has fallen behind, owing to the absence of the full-time dentist.

I would like to thank all the members of the Staff of the School Medical Department for their efficient work and their

assistance to me when taking over the Department. Also I would express my thanks to Mr. Tomlinson, the Director of Education, for his help.

To you, Mr. Chairman, and members of the Education Committee, I would like to record my indebtedness for your interest in the School Medical Service.

I am, Ladies and Gentlemen,

Your obedient servant,

K. K. Wood.

School Medical Officer.

## ANNUAL REPORT OF THE SCHOOL MEDICAL OFFICER FOR 1944.

Area of Bury in acres 7,434
Population (Registrar-General's estimate at mid-year 1943)52,660
Number of school children on register at end of 1944—

Elementary	•	 • • •	1	 	6,491
Secondary		 		 • • • ,	645

There are 7 provided schools (including the High School and Junior Technical) and 20 non-provided schools in the Borough.

## REVIEW OF THE FACTS DISCLOSED BY MEDICAL INSPECTION.

Tonsils and Adenoids.—During the year 280 (8 E\*) children were found to be suffering from enlarged tonsils requiring treatment, while 56 were suffering from enlargement without evidence of ill-effect, and were referred for observation. Six children were referred for treatment for adenoids, while the figure for children suffering from both conditions together was 21 requiring treatment and 2 observation. In addition 31 (4 E\*) children were referred for treatment for other defects of the nose and throat.

Comparative figures for the	previ	ious fo	ur years	s are:
Enlarged Tonsils:	1940.	1941.	1942.	1943.
Children requiring treatment	41	58	37	76 (2 E*)
Children referred for observation	57	148	133	14
Adenoids:				
Children requiring treatment	5	8	11 (1 )	E*) 9 (1 E*)
Children referred for observation		7	5	(Communication of the Communication of the Communic
Enlarged Tonsils and Adenoids:				
Children requiring treatment	25	20	28	91 (2 E*)
Children referred for observation	1	7	4	1
Other defects of nose and throat:				
Children requiring treatment or				
observation	32	29	66 (2 I	E*) 73 (2 E*)

**Tuberculosis.**—One case of Pulmonary Tuberculosis and 13 cases of Non-Pulmonary Tuberculosis were discovered.

**Bronchitis.**—19 (2 E\*) cases of Bronchitis were discovered during the year, 15 (2 E\*) were referred for treatment and 4 for observation.

The number of cases of Bronchitis discovered in previous years was:—1940, 65; 1941, 86; 1942, 52; 1943, 121.

**Skin.**—A number of cases of Skin Disease were discovered during the Routine Inspections, and many more were sent as "specials" to the clinic for treatment. Among the cases of Skin Disease found were:—

<sup>\*</sup> Includes Evacuees.

(b)

(a)

		•	red for	Refer Observat	•
Scabies					
Ringworm, Scalp					
Ringworm, Body	• • • • • • •	4	(1	E*)	
Impetigo		130	(9	E*)	
Other Skin Diseases (Non-Tube	erculou	ıs). 522	(82)	E*)	7
The figures for previous year	rs are	:			
Ringworm, Scalp: 1	.940. 1	1941. 19	942.	1943	
<ul><li>(a) Referred for treatment</li><li>(b) Referred for observation only</li></ul>			_		
Ringworm, Body:	2	~	-		
(a) Referred for treatment		7	1	5	
Scabies:  (a) Referred for treatment	16	50 17	7 (01	E*) 263	(95 EX)
(b) Referred for observation only			1		(99 14.)
Impetigo:	= 0	00 10	~ (O		
(a) Referred for treatment (b) Referred for observation only	7 —	83 13 2 -	5 (8	E*) 103 —	
Other Skin Diseases (non-Tuberculor (a) Referred for treatment		346 44	Q ( <b>91</b>	E*) 497	(02 E)*)
(b) Referred for observation only			6	2	(20 14 )
External Eve Disease 76	(7 E	*)	s of	avtarn	21 074
	1 1 12	) -case	5 01	CATCITI	ai eye
disease were found during the ver	•	of which	h wei	re refer	red for
disease were found during the year	ar, 51				
disease were found during the year treatment. The following table sh	ar, 51 lows th	he natur	e of t		
disease were found during the year treatment. The following table sh	ar, 51 lows th (a) Referred	he natur	e of 1	these ca (b) Referred	ses:—
disease were found during the year treatment. The following table sh	ar, 51 OWS th (a) Referred Treatme	tor	e of t	these ca (b) Referred Observation	for only
disease were found during the year treatment. The following table sh	ar, 51  OWS th  (a) Referred Treatme  4 (	tor (1 E*)	e of t	these ca (b) Referred Observation	for only
disease were found during the year treatment. The following table shape Blepharitis	(a) Referred Treatme 4 ( 34 (	tor (1 E*) (4 E*)	e of 1	these ca (b) Referred Observation 8	for only
disease were found during the year treatment. The following table shape Blepharitis	(a) Referred Treatme 4 ( 34 (	tor (1 E*) (4 E*)	e of 1	these ca (b) Referred Observation 8	for only
disease were found during the year treatment. The following table shades a superior of the shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment. The following table shades are superior of the year treatment are superior of the year treatment. The following table shades are superior of the year treatment ar	(a) Referred Treatme 4 ( 34 ( 1 .	tor (1 E*) (4 E*) (2 E*)	e of 1	these ca (b) Referred Observation 8 	for only
disease were found during the year treatment. The following table shape Blepharitis	Ar, 51  (a)  Referred Treatme  4 (  34 (  1 .  12 (	tor (1 E*) (4 E*) (2 E*)	e of 1	these ca (b) Referred Observation 8 	for only
disease were found during the year treatment. The following table shades a substitute of the shades are also because of the	Ar, 51  Acows th  (a)  Referred Treatme  4 (  34 (  1 .  12 (   rs are	tor (1 E*) (4 E*) (2 E*)	e of 1	these ca (b) Referred Observation 8 17	for only
disease were found during the year treatment. The following table shades a substitute of the shades are substituted as a substitute of the shades are substitute	ar, 51  lows th  (a) Referred Treatme  4 (  1 .  12 (   rs are  1940. 1	tor (1 E*) (4 E*) (2 E*) :— 1941. 19	e of 1	these ca (b) Referred Observation 8 — 17	for only
disease were found during the year treatment. The following table shades a substitute of the shades are also below to the shades are	ar, 51  lows th  (a) Referred Treatme  4 (  1 .  12 (   rs are  1940. 1	tor (1 E*) (4 E*) (2 E*) :— 1941. 19	e of 1	these ca (b) Referred Observation 8 — 17	for only
disease were found during the year treatment. The following table shades a substitute of the provided	ar, 51  (a) Referred Treatme 4 ( 34 ( 1 . 12 (  rs are 1940. 1 . 22 . 1	tor (1 E*) (4 E*) (2 E*) : 1941. 19	e of 1	these ca  (b)  Referred Observation  8  17  1943 E*) 5	for only
disease were found during the year treatment. The following table shades a substitute of the provided shades a substitute of the shades and the provided shades a substitute of the shades are shades as a shades are sha	ar, 51  (a) Referred Treatme  4 (  1 .  12 (   rs are  1940. 1  . 22  . 1	tor (1 E*) (4 E*) (2 E*) : 1941. 19 8 1	e of 1	these ca  (b)  Referred Observation  8  17  1943 E*) 5	for a only
Blepharitis	ar, 51  lows th  (a) Referred Treatme  4 (  1 .  12 (   rs are  1940. 1  22  1	tor (1 E*) (4 E*) (2 E*) : 1941. 19 8 1	e of 1	these ca  (b)  Referred Observation  8  17  1943 E*) 5	for a only
Blepharitis	ar, 51  lows th  (a) Referred Treatme  4 (  1 .  12 (   rs are  1940. 1  22  1	tor (1 E*) (4 E*) (2 E*) : 1941. 19 8 1	e of 1	these ca  (b)  Referred Observation  8  17  1943  E*)  5 — — — — — — — —	for only
Blepharitis	ar, 51  lows th  (a) Referred Treatme  4 (	tor (1 E*) (4 E*) (2 E*) : 1941. 19 8 1	e of 1	these ca  (b)  Referred Observation  8  17  1943 E*) 5	for only
Blepharitis	ar, 51  lows th  (a)  Referred Treatme  4 (  1 .  12 (   22  1  2   2	tor (1 E*) (1 E*) (4 E*) (2 E*) : 1941. 19 8 1 1	e of 1  042. 10 (1  38 (4  1  -	these care (b) Referred Observation 8 17 17 1943 E*) 5 — E*) 33 — — — — — — —	for only
Blepharitis Conjunctivitis Other Keratitis  (a) Referred for treatment (b) Referred for observation (b) Referred for observation (c) Referred for treatment (b) Referred for observation (c) Referred for observation (d) Referred for observation (e) Referred for treatment (f) Referred for observation (g) Referred for observation (h) Referred for observation	ar, 51  lows th  (a)  Referred Treatme  4 (  1 .  12 (   22  1  42   42   63   63	tor (1 E*) (1 E*) (4 E*) (2 E*) : 1941. 19 8 1 30 3	e of 1	these care (b) Referred Observation 8 17 17 1943 E*) 5	for only

Defective Vision and Squint.—383 (12 E\*) cases of defective vision and squint were found. Of these 304 were cases of defective vision and 79 cases of squint. 368 were referred for treatment and 15 for observation only.

Previous figures are:—

	.1941.	1942.	1943.
Cases of defective vision and squint	405	KOO (40 75%)	100 (0 TV)
found 505	435	509 (12 E*)	428 (6 E*)
Cases of defective vision and squint	901	4771	423
referred for treatment 454	991	4/1	420
Cases of defective vision and squint		00	,
referred for observation 51	44	38	5

**Ear Disease and Hearing.**—Two children were found to be suffering from defective hearing, and 79 (15 E\*) from other ear diseases.

#### DIPHTHERIA IMMUNISATION. SCHOOL CHILDREN.

The position at the end of 1944 with regard to the immunisation of school children was that 4,748 children of school age were wholly immunised against diphtheria.

#### "FOLLOWING UP."

The method of "following up" has been the same as in previous years.

During the year the School Nurses have carried out the following visits, etc.:—-

Number of visits to school departments in connection	
with medical inspection	135
Number of visits to schools to examine children for	
cleanliness	263
Number of visits and re-visits to homes	331
,, examinations for cleanliness	18,683

#### MEDICAL TREATMENT.

Minor Ailments.—A Clinic for the treatment of Minor Ailments is held daily at The Wylde. Children attending without an appointment should come between the hours of 9 and 10 a.m.

The number of children attending the Minor Ailments Clinic during the year 1944 is shown in the following table:—

Number of children attending from 1943 141 (6 E*)
,, ,, discharged during 1944 1,671 (247 E*)
,, still attending at end of 1944 134 (11 E*)
" fresh children who attended during 1944 1,664 (252 E*)
,, attendances 8,137 (1051 E*)
Clinic open
Average attendance per child 4.51
Average daily attendance 27.4

<sup>\*</sup> Includes Evacuees.

In addition to the above, 368 children attended on three or four successive days for mydriatic application before seeing the School Oculist for purpose of refraction. This represents 1,288 attendances which are not included in the total attendances in the previous table.

Comparative figures for previous years are as follows:— 7941. Number of fresh children who 1940.1942. 1,312 (79 E\*) 1,633 (84 E\*) attended Clinic ... ... 916 1,100 Number of attendances ... ... 3,692 4,464 6,855 (446 E\*) 7,771 (264 E\*) 4.94Average attendance per child... 3.66 3.634.46 25.73 14.44 22.18 Average daily attendance ... ... 12.35 Children attending for 389 (6 E\*) mydriatic application ... 423 481 402

Altogether 1,382 (230 E\*) parents were seen at the Clinic during the course of the year. This was largely in connection with defects found in the course of Medical Inspection.

Tonsils and Adenoids.—The following table contains particulars of the cases treated during the last five years:—

1940. 1941. 1942. 1943. 1944. Total number of cases receiving some form ..... 123 137 (5 E\*) 221 (4 E\*) 318 (11 E\*) 345 (2 E\*) of treatment Number of cases operative receiving treatment under the local Authority's 13 (3 E\*) 44 (4 E\*) 57 (3 E\*) 55 (1 E\*) Scheme ... ... 17 Number of cases receiving operative treatment by private practitioner or other-38 80 (2 E\*) 111 152 (4 E\*) 81 (1 E\*) \*\*\* \*\*\* \*\*\* \*\*\*

**Tuberculosis.**—The following table shows the number of cases of definite Tuberculosis which have received Institutional treatment during the year:—

At Liverpool Open-Air Hospital for Children, Leasowe:

	No.	Total No. of Day	5
Boys	11	2,165	
Girls	11	1,926	
At Shropshire Orthopædic Hospi	ital, Oswestry	y:	
Girl	1	83 <sup>-</sup>	
At Halifax Sanatorium:			
Boy	1	141	
At Jericho Hospital, Bury:			
Girls	2	225	

**Skin Disease.**—The majority of the cases of Skin Disease occurring among school children were treated at the Minor Ailments Clinic.

<sup>\*</sup> Includes Evacuees.

External Eye Disease and Vision.—All cases of External Eye Disease are now referred to the Ophthalmic Surgeon to the Local Authority at the School Ophthalmic Clinic. The majority of children suffering from defective vision are also examined by the Ophthalmic Surgeon.

The following table gives particulars of the children treated during the past five years:—

No. of children 1940 submitted to	. 1941.	1942.	1943.	1944.
refraction 423	435 (12 E*)	402 (12 E*)	389 (6 E*)	368 (12 E*)
No. of children already provided with suitable spectacles 99	64	85	81	<b>7</b> 2
No. of children not requiring	O±	00	01	12
spectacles 39	44 ,	27	47	53
No. of children for whom spectacles were prescribed 285	327 (9 E*)	290 (7 E*)	250 (3 E*)	239 (12 E*)
No. of children who had obtained the necessary spectacles by the		200 (12,7)	1	
end of the year 255	244 (6 E*)	200 (7 E*)	160 (3 E*)	162

In cases where the parent cannot afford to pay for glasses the Education Committee pay the cost wholly or in part. The number of cases in which such assistance was rendered during 1944 was 10 (4 E\*). In 9 instances spectacles were provided free, and half cost in 1 case.

**Ear Disease and Hearing.**—No special treatment is provided apart from that which may be obtained at the School Clinic. 79 (15 E\*) cases of Minor Ear Defect have been treated.

Cases offering difficulty are referred for opinion and treatment if necessary to the Ear, Nose and Throat Specialist at Bury Infirmary, or to the Department for the Deaf, Manchester University.

Dental Defects.—See Table IV. at end of this report.

**Crippling Defects of Orthopædics.**—An arrangement is in force under which Orthopædic cases from Bury are treated under the Scheme of the Lancashire County Council.

<sup>\*</sup> Includes Evacuees.

An Orthopædic Clinic is held at the "Uplands," Whitefield, on Wednesdays. The Orthopædic Surgeon attends monthly.

At Ancoats Hospital, Manchester, cases are seen for further opinion or for further examination, including X-ray photographs. Apart from examination and out-patient treatment, only short stay cases are admitted to the Wards of the Ancoats Hospital.

At Biddulph Grange Orthopædic Hospital in-patient treatment is afforded.

Particulars of cases dealt with at the Orthopædic Clinic during the year are given below:—

NEW CASES:-

All Cases—Total Consultation with Surgeon ... ... 56

Six children were admitted to Biddulph Hospital during the year.

#### REMEDIAL EXERCISES.

Special classes for remedial exercises were held at the School Clinic during 1944. Seventy-four cases attended, making 963 attendances, an average of 13 attendances per child.

#### ARTIFICIAL SUNLIGHT TREATMENT.

The treatment of Minor Ailments among the school children was extended in scope and increased in efficiency by the use of the Mercury Vapour Ultra-Violet Light Lamp.

Artificial Sunlight Clinic Cases and Attendances:-

(a) Analysis of Cases:—

General Debility	• • •	46
Bronchitis		44
Anæmia		11
		14
Frequent Colds		
Cough		8
Catarrh		2
Glands (non-T.B.)		12
Subnormal Nutrition		3
Asthma		2
Skin		4
Rheumatism		1
Blepharitis		$\overline{2}$
Otorrhoo	• • •	1
Otorrhœa	• • •	1
Enlarged Tonsils		8
Rickets	• • •	2
Steatorrhœa		1
Suspected T.B. Abdomen		1
Deformity	• • •	7
Deformity	• • •	T
Coeliac Disease		1
T.B. Contact		1
	_	

Total ... ... ... 165

Tuberculosis,	Glands	
,,	Abdomen	2
,,	Spine	1
,,	Knee	1
	Total	9
- To	otal under both heads	174

#### (b) Attendances.

Miscellaneous cases—165 children made 5,073 attendances. Tubercular cases—9 children made 161 attendances.

Average attendance per child=18.1.

The total attendances and average attendance per child for previous years are given below:— 1940. 1941. 1942. 1943. Total attendances ... ... ... 3,516 ... 2,446 ... 2,328 ... 2,752 Average attendance per child... 18.77 ... 13.66 ... 18.93 ... 15.3

#### CO-OPERATION OF PARENTS.

The percentage of parents attending at routine inspections was:—

"Entrants"		••• ••• •••	74.1%
"Second Age	Group "		None examined.

"Third Age Group" ... ... ... 1.1%

#### PHYSICAL TRAINING.

The following report is submitted:-

The Organiser of Physical Training joined H.M. Forces on the 4th September, 1940.

The Education Committee have continued to supply games materials so far as they were available.

The teaching of Physical Education in schools of the Authority as based upon the Board of Education Syllabus for Physical Training, 1933, has been continued.

Mr. Charles Nuttall has since February, 1944, rendered service as teacher of physical training and games for the boys in the Bury High School, Junior Technical School, and a number of Senior Schools.

#### SCHOOL BATHS.

A swimming bath is provided in the New Technical School. The water is treated with ozone, and in addition on occasion a chlorine preparation has been added. The bath is used by school

children and also by certain Service personnel. The use of this bath has been so great that the filtering and sterilising plant has been overloaded. Three samples of the bath water have been taken for examination.

#### PROVISION OF MEALS.

During the year, school children were provided with 132,275 meals, comprising 41,805 dinners, and 90,470 one-third pint bottles of milk.

A second canteen is now in the process of building on land on Walshaw Road, Bury. The implementing of the Ministry of Education Circular 21 will involve a large extension of the School Meals Service by provision of Canteens and Dining Halls.

#### BLIND, DEAF, DEFECTIVE, AND EPILEPTIC CHILDREN.

No schools for the treatment of these children have so far been provided by the Local Education Authority, but Blind and Deaf children are sent to outside institutions.

During 1944 the following types of children were maintained in special schools or hospitals:—

Blind	5	Orthopædic cases 13 Tuberculous 27
Delicate—Physically defec-		Heart Disease 2
tive.	Q	

#### SPEECH DEFECTS.

A preliminary investigation has shown that there are 397 children suffering from some form of speech defect. Further investigations are being made, and the Committee has decided to engage a Speech Therapist to deal with these cases.

#### EMPLOYMENT OF SCHOOL CHILDREN.

During the year 60 children have been examined as to their fitness to undertake employment (usually the delivery of newspapers) out of school hours.

#### EVACUATION.

The facilities of the School Medical Service have been available for the use of evacuated children of school age. The number of attendances made are given in parenthesis opposite the various items.

#### SECONDARY SCHOOLS.

During the year 1944 the total number of children inspected was 185. Particulars as to age and sex will be found in the following table:—

Age	10	11	12	13	14	15	16	17	18	Total
Boys Girls				83	68	31	3			185
Totals				83	68	31	3			185

Total number of visits of School Medical Staff for the purposes of Medical Inspection:—

Doctor ... ... ... 4

School Nurse ... ... ... ... 14

**Nutrition.**—The following Table shows the classification of the nutrition of the pupils examined at the Secondary Schools during the year under review:—

	No. of Pup <b>i</b> ls Examined	Excellent		Normal		Slightly Sub- Normal		Poor	
		No.	%	No.	%	No.	%	No.	%
Boys	185	_		184	99.5	1	0.5		
Girls									
Totals	185		_	184	99.5	1	0.5	_	_

#### REMEDIAL EXERCISES.

One Secondary School child made 38 attendances at special classes for Remedial Exercises during the year 1944.

#### MINOR AILMENTS CLINIC.

The number of Secondary School children attending the Minor Ailments Clinic during the year was 30.

#### TABLE I.

### Return of Medical Inspections, 1944.

A.—ROUTINE MEDICAL INSPECTIONS.

- (1) Entrants 874. Second Age Group, none. Third Age Group 437. Total, 1,311.
  - (2) Number of other Routine Inspections: Nil. Grand total, 1,311.

#### B.—Other Inserctions.

Number of Special Inspections and Re-inspections, 4,404 (412 E\*)

#### TABLE II.

# Classification of the Nutrition of Children Inspected during the Year in the Routine Age Croups.

Number of Children Inspected	A. (Excellent) No. %		B (Nor	-	(Slig	C. (Slightly sub-norm'l) No. %		D. Bad <b>N</b> o. %	
1,311	<del></del>		1,287	98.2	24	1.8			

#### TABLE III.

Group I. Treatment of Minor Ailments (excluding uncleanliness):

Total number of Defects treated or under treatment during the year under the Authority's Scheme ... ... ... 1,690\* (247 E)

Group II. Treatment of Defective Vision and Squint under the Authority's Scheme:

Errors of refraction (including squint) ... 364\* (12 E)

Other defect or disease of the eyes (excluding those recorded in Group I.) ... 4

Total ... ... ... ... ... 368\* (12 E)

Note: \*Includes Evacuees.

Number of children for whom spectacles							
were							
(a) Prescribed 239							
(b) Obtained 162							
Group III. Treatment of Defects of Nose and Throat, under the Authority's Scheme:							
Received operative treatment 55* (1 E)							
Received other forms of treatment 264							
Total number treated							
TABLE IV.							
Dental Inspection and Treatment.							
(1) Number of children inspected by the Dentist—							
(a) Routine Age Groups 1,381							
(b) Specials 1,003							
(c) Total (Routine and Specials) 2,384							
(2) Number found to require treatment 2,066							
(3) Number actually treated 1,822							
(4) Attendances made by children for treatment 2,092							
(5) Half-days devoted to—							
Inspection 16							
Treatment 161							
Total 177							
(6) Fillings:—							
Permanent Teeth 200							
Temporary Teeth 4							
Total 204							
(7) Extractions:—							
Permanent Teeth 193							
Temporary Teeth 1,582							
Total 1,775							

Note: \*Includes Evacuees.

(8)	Administrations of general anæsthetics for extractions	Nil
(9)	Other operations:—	
	Permanent Teeth	231
	Temporary Teeth	195
	Total	426
	TABLE V.	
	Verminous Conditions.	
(1)	Average number of visits per school made during the year by the School Nurses or other authorised persons	7
(2)	Total number of examinations of children in the Schools by School Nurses or other authorised persons	18,683
(3)	Number of individual children found unclean	1,048
(4)	Number of individual children cleansed voluntarily	26
(5)	Number of cases in which legal proceedings were taken:—	
	(a) Under the Education Act, 1921	
	(b) Under the School Attendance By-laws	_
	TABLE VI.	

## BLIND AND DEAF CHILDREN.

Number of totally or almost totally blind and deaf children who are NOT at the present time receiving education suitable for

their special needs. The return should relate to all such children, including evacuees resident in the Authority's area:—

`	At a Public Elementary School	At an Institution other than a Special School	At No School or Institution
Blind Children	2		1
Deaf Children	. 2		1 .

Mentally Defective Children.—Total number of children notified during the year ended 31st December, 1943, by the Local Education Authority to the Local Mental Deficiency Authority, under the Mental Deficiency (Notification of Children) Regulations, 1928 ......





